

Martin® Inspection Doors



Available in mild steel or stainless steel, Martin® Inspection Doors provide quick and easy access to belt cleaners and other components inside chutes and enclosures for inspection or service.

The inspection doors can be used in in temperatures from -30°C up to +80°C. Various sizes are available depending on the needs.

BENEFITS

Safe:

Improves safety when conducting maintenance, inspections and cleaning of the conveyor components.

· Versatile:

Various sizes available. Available in mild and stainless steel option. Steel door withstands typical positive and negative pressure applications.

Compliant with safety requirements:
Mesh size of the barrier guard and captive
screws make the doors fully compliant
with European safety standards.

Dust-Tight Seal:

Latch closes the door tightly and rubber seal prevents material escape.


· Easy to install:

Door is bolted to enclosure wall.

Compact:

"Low-Profile" design makes it easy to fit the door into tight spaces.

NOMENCLATURE



A: Door dimensions

Approximate door size in inches (width x height)

B: Installation accessories option

M: with mounting kit

E: Barrier Guard

G: with Barrier Guard


D: Door material


P: Mild Steel Painted


A2: Stainless Steel (1.4301)


MARTIN® INSPECTION DOOR DIMENSIONS

Assy P/N	"A" (mm)	"B" (mm)	"C" (mm)	"D" (mm)
CYA-0912MG-X+E	286	365	210	289
CYA-1212MG-X+E	360	365	284	289
CYA-1214MG-X+E	360	410	284	337
CYA-1218MG-X+E	360	515	284	438












MARTIN® INSPECTION DOOR DIMENSIONS (2)

Assy P/N	"A" (mm)	"B" (mm)	"C" (mm)	"D" (mm)
CYA-1818MG-X+E	515	515	438	438
CYA-1824MG-X+E	515	665	438	589
CYA-2424MG-X+E	665	665	583	583
CYA-3030MG-X+E	850	550	768	768









Martin Engineering Germany

In der Rehbach 14 65396 Walluf, Germany Ph.: 0049 (0)6123 9782 0 info@martin-eng.eu | www.martin-eng.de **Martin Engineering Ltd**

8, Experian Way, NG2 Business Park Nottingham NG2 1EP Nottinghamshire, UK Ph.: 0044 (0)115 946 4746 info@martin-eng.co.uk | www.martin-eng.co.uk



Subject to change without prior noice. Quality managment system certified according to DNV - ISO 9001