



Martin® QC1+™ Cleaner HD MT



Operating Instructions Part 2

Version: 0
Language: ENG
M9010E IN 2026-05 QC1+ HDMT

1 General

1	General	2
1.1	Part number	4
1.2	Technical Data	4
1.3	Locally valid product variants	4
2	Installation	5
2.1	Determining the installation position	5
2.2	Preparing the cleaner	5
2.3	Installing the tensioner	6
2.4	Installing the cleaner	6
2.5	Tension values of twist tensioner 38850-	8
2.6	Tension values of spring tensioner 38180-	8
2.7	Tension values of air tensioner 32745-	8
2.8	Placing labels	9
3	Scope of delivery and spare parts	10
3.1	Pre-cleaner	10
3.2	Blades	11

1 General



NOTE

Before starting work on the cleaner or the conveyor, part 1 and 2 of these operating instructions must be read and understood completely

1.1 About these operating instructions


These operating instructions apply solely for cleaners and are intended for those persons who install cleaners, commission them, and monitor their usage.

The operating instructions must be kept for the lifetime of the cleaners and must be made available in an orderly condition to all persons entrusted with work with and on the cleaners.

1.2 Accompanying documents

Part 1 of the operating instructions, which is provided separately, is an integral part of these operating instructions.

1.3 Part number



OR

BR

GR

1.4 Technical Data

The cleaner is suitable for the following operating parameters:

	Operating parameter
Belt widths:	500 – 2.400 mm
Pulley diameter:	300 - 600 mm
Belt speed:	Max. 4,6 m/s
Temperature range:	-40 - 150 °C depending on PU type
Reversing operation:	Possible but has no cleaning effect

1.5 Locally valid product variants

Herein shown are generally valid product variants. The products may show minor design deviations depending on the location of delivery.

When identifying part numbers for individual components and spare parts, always use the locally valid product information and drawings.

If in doubt, please contact your local Martin Engineering representative.


2 Installation



NOTE


For a general description of cleaner installation, refer to part 1 of these operating instructions.

2.1 Determining the installation position




Pulley diameter* in mm	X in mm
300-375	114
376-475	102
476-600	89
*(Including pulley lining and conveyor belt)	


2.2 Preparing the cleaner



2.3 Installing the tensioner



2.4 Installing the cleaner





NOTE

The width of the blade should be adjusted to the width of the material on the belt. The QC1+™ blades can be shortened to any width by cutting them off.

QC1+™ Blade clamps are supplied with specific M12 Stainless Steel ring-cutting screws. The **tightening torque** of the screws must be at least **65 Nm**.

To prevent galling or seizure, the screw should be lightly lubricated before tightening.

Only the **designated ring-cutting screws** are permitted. Using any other type of screw may compromise the secure retention of the blade.

Lubricant requirement


MoS₂

Operational range up to min. 121°C

Good chemical stability

Long-term resistance to UV and humidity


Very low coefficient of friction



2.5 Tension values of twist tensioner 38850-...

Belt width mm	Number of notches (clicks)
500	2
650	3
800	3
1.000	4
1.200	5
1.400	6
1.600	3*
1.800	4*
2.000	5*
2.200	5*
2.400	6*


*Per tensioner; Dual tensioners are needed



2.6 Tension values of spring tensioner 38180-...

Belt width mm	Compression spring length in mm
500	92
650	90
800	86
1.000	83
1.200	79
1.400	76
1.600	86*
1.800	86*
2.000	83*
2.200	79*
2.400	76*


*Per tensioner; Dual tensioners are needed



2.7 Tension values of air tensioner 32745-...

Belt width mm	Compressed air pressure in bar
500	0,4
650	0,6
800	0,8
1.000	1,0
1.200	1,2
1.400	1,4
1.600	0,8*
1.800	0,9*
2.000	1,1*
2.200	1,2*
2.400	1,4*

*Per tensioner; Dual tensioners are needed



2.8 Placing labels

2.8.1 Safety label

The safety label below must be attached to the conveyor system in the immediate vicinity of the cleaner:



2.8.2 Other labels

The labels below are attached to the product:

1. Sticker showing the address of the Martin Engineering branch and the designation of the product
2. A sticker containing the tension values for the respective tensioner

3.2 Blades

BLADE CHART FOR BLADES WITH MILD STEEL TC HOLDER

PART NO	COLOR	ITEM 2 P/N	ITEM 3 P/N
C100MBXS35XX1	ORANGE	C100MB20	38667-06CGR
C100MBXS35XX2	BROWN	C100MB28	38667-06MBR
C100MBXS35XX3	GREEN	C100MB30	38667-06GGR

BLADE CHART FOR BLADES WITH STAINLESS STEEL TC HOLDER

PART NO	COLOR	ITEM 2 P/N	ITEM 3 P/N
C100MBXS35XX4	ORANGE	C100MB20	38667-06CGR
C100MBXS35XX5	BROWN	C100MB28	38667-06MBR
C100MBXS35XX6	GREEN	C100MB30	38667-06GGR

BLADE CHART FOR BLADES WITH MILD STEEL TC HOLDER

PART NUMBER	QTY.	DESCRIPTION	PART NUMBER
1	1	HD OC1 EXTRUSION WITH SLOT ALUM	SEE CHART
2	2	S/C	SEE CHART
3	3	S/C	SEE CHART
4	2	PIN MOTT SPRING 3/16 X 1/2	38669

S/C = SEE CHART

ISOMETRIC VIEW
SCALE 1:8

DETAIL A
SCALE 3:4

DETAIL B
SCALE 3:4

DETAIL C
SCALE 3:4

DETAIL D
SCALE 3:4

DETAIL E
SCALE 3:4

DETAIL F
SCALE 3:4

DETAIL G
SCALE 3:4

DETAIL H
SCALE 3:4

DETAIL I
SCALE 3:4

DETAIL J
SCALE 3:4

DETAIL K
SCALE 3:4

DETAIL L
SCALE 3:4

DETAIL M
SCALE 3:4

DETAIL N
SCALE 3:4

DETAIL O
SCALE 3:4

DETAIL P
SCALE 3:4

DETAIL Q
SCALE 3:4

DETAIL R
SCALE 3:4

DETAIL S
SCALE 3:4

DETAIL T
SCALE 3:4

DETAIL U
SCALE 3:4

DETAIL V
SCALE 3:4

DETAIL W
SCALE 3:4

DETAIL X
SCALE 3:4

DETAIL Y
SCALE 3:4

DETAIL Z
SCALE 3:4

DETAIL AA
SCALE 3:4

DETAIL AB
SCALE 3:4

DETAIL AC
SCALE 3:4

DETAIL AD
SCALE 3:4

DETAIL AE
SCALE 3:4

DETAIL AF
SCALE 3:4

DETAIL AG
SCALE 3:4

DETAIL AH
SCALE 3:4

DETAIL AI
SCALE 3:4

DETAIL AJ
SCALE 3:4

DETAIL AK
SCALE 3:4

DETAIL AL
SCALE 3:4

DETAIL AM
SCALE 3:4

DETAIL AN
SCALE 3:4

DETAIL AO
SCALE 3:4

DETAIL AP
SCALE 3:4

DETAIL AQ
SCALE 3:4

DETAIL AR
SCALE 3:4

DETAIL AS
SCALE 3:4

DETAIL AT
SCALE 3:4

DETAIL AU
SCALE 3:4

DETAIL AV
SCALE 3:4

DETAIL AW
SCALE 3:4

DETAIL AX
SCALE 3:4

DETAIL AY
SCALE 3:4

DETAIL AZ
SCALE 3:4

DETAIL BA
SCALE 3:4

DETAIL BB
SCALE 3:4

DETAIL BC
SCALE 3:4

DETAIL BD
SCALE 3:4

DETAIL BE
SCALE 3:4

DETAIL BF
SCALE 3:4

DETAIL BG
SCALE 3:4

DETAIL BH
SCALE 3:4

DETAIL BI
SCALE 3:4

DETAIL BJ
SCALE 3:4

DETAIL BK
SCALE 3:4

DETAIL BL
SCALE 3:4

DETAIL BM
SCALE 3:4

DETAIL BN
SCALE 3:4

DETAIL BO
SCALE 3:4

DETAIL BP
SCALE 3:4

DETAIL BQ
SCALE 3:4

DETAIL BR
SCALE 3:4

DETAIL BS
SCALE 3:4

DETAIL BT
SCALE 3:4

DETAIL BU
SCALE 3:4

DETAIL BV
SCALE 3:4

DETAIL BW
SCALE 3:4

DETAIL BX
SCALE 3:4

DETAIL BY
SCALE 3:4

DETAIL BZ
SCALE 3:4

DETAIL CA
SCALE 3:4

DETAIL CB
SCALE 3:4

DETAIL CC
SCALE 3:4

DETAIL CD
SCALE 3:4

DETAIL CE
SCALE 3:4

DETAIL CF
SCALE 3:4

DETAIL CG
SCALE 3:4

DETAIL CH
SCALE 3:4

DETAIL CI
SCALE 3:4

DETAIL CJ
SCALE 3:4

DETAIL CK
SCALE 3:4

DETAIL CL
SCALE 3:4

DETAIL CM
SCALE 3:4

DETAIL CN
SCALE 3:4

DETAIL CO
SCALE 3:4

DETAIL CP
SCALE 3:4

DETAIL CQ
SCALE 3:4

DETAIL CR
SCALE 3:4

DETAIL CS
SCALE 3:4

DETAIL CT
SCALE 3:4

DETAIL CU
SCALE 3:4

DETAIL CV
SCALE 3:4

DETAIL CW
SCALE 3:4

DETAIL CX
SCALE 3:4

DETAIL CY
SCALE 3:4

DETAIL CZ
SCALE 3:4

DETAIL DA
SCALE 3:4

DETAIL DB
SCALE 3:4

DETAIL DC
SCALE 3:4

DETAIL DD
SCALE 3:4

DETAIL DE
SCALE 3:4

DETAIL DF
SCALE 3:4

DETAIL DG
SCALE 3:4

DETAIL DH
SCALE 3:4

DETAIL DI
SCALE 3:4

DETAIL DJ
SCALE 3:4

DETAIL DK
SCALE 3:4

DETAIL DL
SCALE 3:4

DETAIL DM
SCALE 3:4

DETAIL DN
SCALE 3:4

DETAIL DO
SCALE 3:4

DETAIL DP
SCALE 3:4

DETAIL DQ
SCALE 3:4

DETAIL DR
SCALE 3:4

DETAIL DS
SCALE 3:4

DETAIL DT
SCALE 3:4

DETAIL DU
SCALE 3:4

DETAIL DV
SCALE 3:4

DETAIL DW
SCALE 3:4

DETAIL DX
SCALE 3:4

DETAIL DY
SCALE 3:4

DETAIL DZ
SCALE 3:4

DETAIL EA
SCALE 3:4

DETAIL EB
SCALE 3:4

DETAIL EC
SCALE 3:4

DETAIL ED
SCALE 3:4

DETAIL EE
SCALE 3:4

DETAIL EF
SCALE 3:4

DETAIL EG
SCALE 3:4

DETAIL EH
SCALE 3:4

DETAIL EI
SCALE 3:4

DETAIL EJ
SCALE 3:4

DETAIL EK
SCALE 3:4

DETAIL EL
SCALE 3:4

DETAIL EM
SCALE 3:4

DETAIL EN
SCALE 3:4

DETAIL EO
SCALE 3:4

DETAIL EP
SCALE 3:4

DETAIL EQ
SCALE 3:4

DETAIL ER
SCALE 3:4

DETAIL ES
SCALE 3:4

DETAIL ET
SCALE 3:4

DETAIL EU
SCALE 3:4

DETAIL EV
SCALE 3:4

DETAIL EW
SCALE 3:4

DETAIL EX
SCALE 3:4

DETAIL EY
SCALE 3:4

DETAIL EZ
SCALE 3:4

DETAIL FA
SCALE 3:4

DETAIL FB
SCALE 3:4

DETAIL FC
SCALE 3:4

DETAIL FD
SCALE 3:4

DETAIL FE
SCALE 3:4

DETAIL FF
SCALE 3:4

This drawing is the confidential information of Martin Engineering Company and cannot be shared with any third party without Martin Engineering Company's express prior written consent;



Martin Engineering Company India Pvt. Ltd.

Plot 191, 192, 193, Vadu Khurd

Alandi-Markal Road, Phulgaon

Pune 412216, India

Ph : +91 20 66788270

salesindia@martin-eng.com | www.martin-eng.in